

INDEX MAPS.

T. 4N, R. 12E. 2nd Mer.

	306	306	307	307	307					
310	6	325	5	324	4	323	3	322	2	1
	324	324	322	322	322	321				
310	7	323	8	322	9	321	10	321	11	12
	320	320-323	320-322	319	318					
309	18	320	17	319	16	318	15	318	14	13
	317	317-319	318-319	315	316					
309	19	317	20	316	21	315	22		23	24
	314	316	315	312						
308	30	314	29	314	28	312	27		26	25
	312	313	312	311						
308	31	313	32	311	33	311	34		35	36
	305	305	305	306						

T. 5N, R. 12E. 2nd Mer.

	331		332		332		332		333		333
331	6	351	5	350	4	348	3	347	2	247	1
	351		350		349		348		347		347
330	7	350	8	349	9	348	10	346	11	346	12
	343		344		346-349		346-348		345		344
330	18	342	17	344	16	345	15	345	14	340	13
	336		342-343		343		344		340		340
									340		
329	19	336	20	342	21	342	22	339	23		24
	335		337		341		341		339		
329	30	335	29	336	28	338	27	339	26		25
	334		335		337		338		339		
328	31	334	32	335	33	337	34	338	35		36
	327		327		327		328		328		

(F) The figures on the lines refer to the page.

Township N. 5 North, Range N. 12 E. 2. Mer. Indiana

327

ch. 2. 1/2 m.

South Boundary var. 5.50' E
September 4th 1886

East On S. boundary of Sec. 31

19.75 a Beech 16 in. diam.

31.00 a Brook 15 ft. wide Course S.

32.00 a Creek 50 " " " S.

40.00 Set of Sec. post, from which
a Sugar 8 in. diam. - bear N 36 W 14 ft. dist. of
a W. Oak 36 " " " S 52 E 37 " "

69.30 a Sugar 14 " "

80.00 Set post Cor. to Sec. 31 & 32, from which
a Hickory 12 in. diam. - bear S 26 W 17 ft. dist. of
a Sugar 10 " " " N 4 W 32 " "
Hilly rich land, timber Sugar, Oak, Ash &c.

East On S. boundary of Sec. 32

10.00 a Brook 3 ft. wide Course S.

16.00 a Ro. 6 " " " S. W.

20.30 a Poplar 30 in. diam.

40.00 Set of Sec. post, from which
a Hickory 5 in. diam. - bear S 61 W 14 ft. dist. of
a Walnut 12 " " " N 72 E 31 " "
Hilly rich land, timber Hickory Oak, Sugar &c.

80.00 Set post Cor. to Sec. 32 & 33, from which
a Sassafras 12 in. diam. - bear N 84 W 18 ft. dist. of
a B. Oak 16 " " " S 40 E 18 " "
Over uneven land, timbered with Oak & Hickory

East On S. boundary of Sec. 33

22.50 a Poplar 24 in. diam.

40.00 Set of Sec. post, from which
a B. Oak 18 in. diam. - bear S 45 E 28 ft. dist. of
a Sugar 14 " " " S 65 W 39 " "
Generally level good Oak land

43.50 a Brook 5 ft. wide Course S.

60.00 a Ro. 5 " " " S.

S 5 N. R 12 E. 2nd Mer. Indiana

ch. lth

61.00 a Sugar 16 in. diam.

80.00 Set post Cor. to Sec. 33 & 34, from which
 a Maple 12 in. diam. bearing S 21° W 27 lth. dist. of
 a Willow 30 " " " N 70° E 58 " "
 Generally good level Oak land

East On S. boundary of Sec. 34

3.00 a Spring Course S.

20.56 a W. Oak 36 in. diam.

40.00 Set of Sec. post, from which
 a Sugar 14 in. diam. bearing S 61° W 20 lth. dist. of
 a Maple 8 " " " S 87° E 19 " "

64.00 a Brook 5 lth. wide Course N E.

80.00 Set post Cor. to Sec. 34 & 35, from which
 a Sugar 14 in. diam. bearing West 31 lth. dist. of
 a Ro. 10 " " " S 41° E 27 " "
 Level good land, timber Oak, Poplar & Sugar

East On S. boundary of Sec. 35

13.17 a Poplar 18 in. diam.

40.00 Set of Sec. post, from which
 a Walnut 12 in. diam. bearing S 52° E 15 lth. dist. of
 an Elm 7 " " " N 22° W 14 " "

46.10 Intersected the Boundary line & Set post from wh.
 an Ash 14 in. diam. bearing S 69° W 12 lth. dist. of
 a Ro. 14 " " " N. E. 36 " "
 Thence with the boundary N 10 3/4° E as near as
 I can ascertain 20.30 ch. to an Ash (marked
 M. 10. Generally Good Oak land

Alexander Holmes
 Deputy Surveyor

West Boundary var. 5.25' E.

North On E. boundary of Sec. 36, S 5 N. R 12 E.

5.55 a Beech 12 in. diam.

15.62 a Ro. 24 " "

T5 N R12 E. 2^d Mer. Indiana

329

ch. lks.

- 40.00 Set q^r. Sec. post, from which
a Beech 16 in. diam. bear N 63 1/4 W 7 lks. dist. of
a Do. 18 " " " N 70 E 8 " "
- 49.65 a Poplar 20 " "
- 80.00 Set post Cor. to Sec. 25 of 36, from which
a W. Oak 15 in. diam. bear N 33 W 12 lks. dist. of
a Beech 10 " " " N 68 E 2 " "
a watercourse 6 lks. wide runs S.W. by the Corner
Land gently ascending & descending 2^d rate, timber
Beech, Sugar, Poplar, Oak, Hickory &c.

North On E. boundary of Sec. 25, T5 N. R11 E

- 3.53 a Lynn 30 in. diam.
- 12.54 a Hickory 18 " "
- 18.50 a watercourse 9 lks. diam. wide S.W.
- 24.00 a Do 8 " " S.W.
- 40.00 Set q^r. Sec. post, from which
a Poplar 36 in. diam. bear N 64 W 27 lks. dist. of
a Gum 14 " " " N 64 E 17 " "
- 50.65 a Beech 42 " "
- 60.90 a watercourse 8 lks. wide runs S.W.
- 72.50 a Poplar 12 in. diam.
- 80.00 Set post Cor. to Sec. 24 of 25, from which
a Hackberry 14 in. diam. bear N 77 W 26 lks. dist. of
a Buckeye 12 " " " N 62 1/2 E 47 " "
Land hilly thin, timber Beech, Sugar, Poplar, Oak &c

North On E. boundary of Sec. 24, T5 N. R11 E.

- 1.00 a watercourse 20 lks. wide runs E.
- 17.00 a Beech 36 in. diam.
- 40.00 Set q^r. Sec. post, from which
a Sugar 16 in. diam. bear N 63 W 25 lks. dist. of
a Beech 36 " " " N 79 1/2 E 27 " "
- 43.30 a W. Oak 30 " "
- 50.40 a watercourse 12 lks. wide runs S.W.
- 62.60 a Beech 13 in. diam.

T5 N. R12 E. 2nd Mer. Indianach. 1st lkr.

- 66.05 a Sugar 20 in. diam.
 77.10 a Watercourse 8 lkr. wide runs W.
 80.00 Set post Cor. to Sec. 13 of 24, from which
 a Beech 5 in. diam. bears N 71 1/2 W. 24 lkr. dist. of
 a Sugar 15 " " " S 70 E 39 " "
 Land hilly & thin, timbered Beech, Sugar, Oak, Hickory &c.

North On E. boundary of Sec. 13. T5 N. R11 E.

- 0.75 a watercourse 5 lkr. wide runs N.W.
 17.00 a Do. 4 " " " N.
 27.25 a Do. 15 " " " W.
 34.50 a Do. 10 " " " N.W.
 37.90 a Poplar 42 in. diam.
 40.00 Set of Sec. post, from which
 a Sugar 16 in. diam. bears N 75 E 9 lkr. dist. of
 a Do. 12 " " " N 47 W 19 " "
 47.90 Sugar tree 16 " "
 55.75 a Watercourse 10 lkr. wide Course W.
 58.40 a White Oak 18 in. diam.
 80.00 Set post Cor. to Sec. 12 of 13, from which
 a Sugar 15 in. diam. bears N 31 E 19 lkr. dist. of
 a Do. 5 " " " S 20 W 21 " "
 Land hilly & poor, timbered Beech, Sugar, Hickory
 Oak &c.

North On E. boundary of Sec. 12, T5 N. R11 E.

- 19.00 a watercourse 50 lkr. wide runs W.
 27.47 an Elm 12 in. diam.
 40.00 Set of Sec. post, from which
 a Beech 8 in. diam. bears S 79 E 9 lkr. dist. of
 a Do. 36 " " " S 60 W 24 " "
 42.70 a Beech 24 " "
 60.53 an Ash 13 " "
 72.25 a Watercourse 15 lkr. wide runs S. E.
 80.00 Set post Cor. to Sec. 11 of 12, from which
 an Ironwood 5 in. diam. bears S 67 E 8 lkr. dist. of

T5 N. R12 E. 2nd Mer. Indiana

ch. lks.

a Hickory 8 in. diam. bears S73°W15 lks. dist. of
 Sand hilly & poor timber Beech, Oak, Hickory, Sugar-
 underg. th Spruce & Black haw.

North On E. boundary of Sec. 1, T5 N. R12 E.

8.50 a watercourse 10 lks. wide runs S.E.

10.52 a Beech 18 in. diam.

40.00 Set of Sec. post, from which

a Sugar 9 in. diam. bears S78°E7 lks. dist. of

a No. 16 " " " N24°W34 " "

49.75 a Linn 20 " "

55.20 a watercourse 25 lks. wide runs S.E.

65.21 a Beech 36 in. diam.

80.00 Set post Cor. to Township 5 of 6 North, of Range
 11 of 12 East, from which

a Beech 18 in. diam. bears N74°E10 lks. dist. of

a B. Walnut 10 " " " N73°W40 " "

Sand hilly & poor, timber Beech Ash, Oak, Hickory &c.
 underg. th Spruce & Logwood. Oct. 27th 1806.

North Boundary var. 5.25.6.

East On S. boundary of Sec. 31, T6 N. R12 E.

1.90 a Spring in the Cor. of Sec. 31, runs S.

4.22 a Poplar 18 in. diam.

10.45 a Beech 20 " "

24.75 a water Course 50 lks. wide runs S.E.

32.45 a No. 10 " " " N.W.

40.00 Set of Sec. post, from which

a W. Oak 18 in. diam. bears S63°W5 lks. dist. of

a Hickory 12 " " " N20°E31 " "

44.60 a Beech 22 " "

70.56 a Hickory 13 " "

80.00 Set post Cor. to Sec. 31 of 32, from which

a B. Gum 42 in. diam. bears N15°E5 lks. dist. of

a Beech 14 " " " S61°W27 " "

First 1/2 mile hilly - remainder level, timber Beech, Oak,

T5N R12E. 2^d Mer. Indiana

ch. 2 th .	Hickory, Poplar &c. undug th . Spruce, Hogwood &c.
-----------------------	---------------------------------------------------------------

East	On S. boundary of Sec. 32, T5N. R12E.
4.28	a B. Gum 36 in. diam.
10.80	a Beech 24 " "
19.12	a Watercourse 6 th , wide corner S.E.
40.00	Set of Sec. post, from which a B. Walnut 36 in. diam. branch N43W 26 th , dist. of a W. Oak 16 " " " S32E 34 " "
41.00	a watercourse 15 th , wide run, S.W.
54.30	Spring, 50 th , wide South of the line run N.
58.52	fork of a watercourse 10 th , wide, 1 from S.E. the other from S.E.
65.12	a B. Gum 14 in. diam.
80.00	Set post Cor. to Sec. 32 & 33, from which a Gum 13 in. diam. branch N44W 14 th , dist. of a Beech 13 " " " S25E 19 " " First 1/2 mile Broken - rest level 2 ^d . rate, timber Beech Poplar, Oak, Hickory &c.

East	On S. boundary of Sec 33, T6N. R12E
13.75	a Poplar 24 in. diam.
21.30	a Hickory 18 " "
40.00	Set of Sec. post, from which a Hickory 13 in. diam. branch N34E 34 th , dist. of a Beech 14 " " " S47W 39 " "
42.70	a watercourse 8 th , wide run, N.E.
52.69	a Poplar 13 in. diam.
68.70	a Hickory 12 " "
80.00	Set post Cor. to Sec. 33 & 34, from which a Beech 17 in. diam. branch North 34 th , dist. of a Gum 8 " " " S34W 17 " " Land level 2 ^d . rate, timber Poplar, Oak, Hickory Beech, Gum &c.

East	On S. boundary of Sec. 34, T6N. R12E.
14.40	a watercourse 15 th , wide run, N.E.

T5 N. R12 E. 2nd Mer. Indianach. 2nd lhy

19.92 at Beech 15 in. diam.

31.10 a watercourse 10 lhy, wide run N.

32.85 a W. Oak 32 in. diam.

39.00 a watercourse 6 lhy, wide run N.

40.00 Set of Sec. post, from which
a Hickory 8 in. diam. bear N 84 E 5 lhy, dist. of
a Mulberry 7 " " " S 25 W 3 " "

57.00 a Hickory 15 " "

68.50 a watercourse 25 lhy, wide run S 25 E.

80.00 Set post cor. to Sec. 34 & 35, from which
a Hickory 5 in. diam. bear S 10 E 11 lhy, dist. of
a Do. 14 " " " N 31 W 24 " "
Land hilly & poor, timber Oak, Hickory, Beech &c.
undergnd, dogwood, Hawth &c.

East On S. boundary of Sec. 35, T6 N. R12 E.

25.00 a watercourse 30 lhy, wide run S. E.

32.32 a Do. 25 " " " N. E.

40.00 Set of Sec. post, from which
a Beech 14 in. diam. bear S 43 W 21 lhy, dist. of
a Sugar 8 " " " N 5 W 27 " "

61.53 a Gum 18 " "

65.20 a watercourse 10 lhy, wide run N.

80.00 Set post cor. to Sec. 35 & 36, from which
a White 20 in. diam. bear N 31 E 15 lhy, dist. of
a White Oak 15 " " " S 31 W 14 " "

Land timber &c. same as on the last mile

East On S. boundary of Sec. 36, T6 N. R12 E.

22.50 a watercourse 8 lhy, wide run N.

34.00 Intersected Old Indian boundary line, set post from wh.
a W. Oak 36 in. diam. bear N 50 E 26 lhy, dist. of
a Beech 5 " " " S 36 W 19 " "
Land &c. same as on the last mileOct. 28th, 1876

John Brownson, H. Sur.

T. & N. R. 12 E. 2^d. Mer. Indiana

Ch. Lhs.

Subdivision.

Monday 13th day of Oct. 1806.

You Benjamin Erwin & John Pouch do
Solemnly Swear in the presence of Almighty God
the Searcher of all hearts that you will carry
a true and horizontal Chain, and give a true
account of all distances that you may chain,
to the best of your skill and abilities and under-
standing to help you God

Benjamin Erwin

John ^{his} PouchSworn and Subscribed before me this 15th day of
October 1806.Stephen Sudlow
Deputy Surveyor

North Between Secs. 31 & 32

40.00 Set of Sec. post, from which
a Maple 18 in. diam. bran N 62° W 13 Ch. dist. of
a Gum 18 " " " N 80° E 17 " "

80.00 Set post Cor. to Secs. 29, 30, 31 & 32, from which
(Bearing true, Omitted)

This mile hilly Oak, Hickory & Magnolia 3^d rate

West On Land^m. between Secs. 30 & 31

3.00 a watercourse 25 Ch. wide Cr. S. W.

40.00 Set temp. of Sec. post

80.00 Intersected W. boundary 20 Ch. S. of post
Land timber &c. same as on the last mile

East Corrected between Secs. 30 & 31

40.00 Set of Sec. post at average dist. from which
a Beech 22 in. diam. bran N 63° W 25 Ch. dist. of
a Oak 4 " " " S 27° E 18 " "

77.00 a watercourse 20 Ch. wide run S. W.

80.00 to Sec. Corner.

T5 N. 1 R 12 E. 2nd Mer. Indiana

ch. 1/2 hr.

North Between Sec. 29 & 30

- 1.50 a watercourse 15 lks. wide Corner S.W.
 21.00 a do 8 " wide " S.E.
 42.50 Set of sec. post at average dist, from which
 a Beech 15 in. diam. bear N 2 E 15 lks. dist. of
 a Gum 14 " " " S 75 E 15 " "
 85.00 Set post Cor. to Sec. 19, 20, 29 & 30, from which
 a Beech 15 in. diam. bear West 4 lks. dist. of
 a Hickory 18 " " " N 27 E 18 " "
 This mile some broken, timber Beech, Sugar, Oak
 Open woods 3rd rate

West On Rand^m, between Sec. 19 & 30

- 40.00 Set temp. of sec. post
 50.00 a large watercourse runs S.W. 5.00 to the right
 80.00 Intersected W. boundary 50 lks. S. of post
 This mile broken, timber Beech, Oak, &c. 3rd rate

East Connected between Sec. 19 & 30

- 30.00 a watercourse 5.00 to our left
 40.00 Set of sec. post, from which
 a Beech 3 in. diam. bear S 60 W 4 lks. dist. of
 a do. 5 " " " N 17 E 12 " "
 80.00 to Sec. Corner

North Between Sec. 32 & 33

- 20.00 a Beech 24 in. diam. in the line
 40.00 a Sugar 6 in. diam. stands for the of sec. corner
 notched on four sides
 80.00 Set post Cor. to Sec. 28, 29, 32 & 33, from which
 a Sugar 12 in. diam. bear S 20 E 7 lks. dist. of
 no other. This mile level land timber Oak,
 Hickory, Dogwood &c. Much better 3rd rate

West Rand^m, between Sec. 29 & 32

- 40.00 Set temp. of sec. post

S N R E. 2nd Mer. Indianach 9th.

81.10 Intersected W. Boundary 50th S. of post
This mile broken, timber Oak, Hickory, Dogwood &c.

East Connected between Sec. 29 & 32

40.55 Set of, Sec. post at average dist. from which
a Hickory 12 in. diam. bran N 45 E 17th dist. of
a Sugar 12 " " " S 50 E 15 " "

60.10 a W. Oak 18 " "

81.10 to Sec. Corner.

North Between Sec. 28 & 29

7.00 a watercourse 12th wide Course W.

42.50 Set of, Sec. post at average dist. from which
a Hickory 10 in. diam. bran S 42 W 21th dist. of
a Sugar 6 " " " N 30 W 10 " "

85.00 Set post cor. to Sec. 20 & 21, 28 & 29, from which
a W. Ash 14 in. diam. bran South 27th dist. of
a Beech 10 " " " N 70 E 13 " "
This mile, broken, timber, Beech, Oak, Hickory
&c. Soil 3rd rate

North Between Sec. 19 & 20

31.00 a watercourse 6th wide run S. W.

40.00 Set of, Sec. post, from which
a Beech 10 in. diam. bran N 72 W 26th dist. of
a Ho. 8 " " " S 40 E 27 " "

50.00 a watercourse 8th wide Course W

80.00 Set post Cor. to Sec. 17, 18, 19 & 20, from which
a Beech 4 in. diam. bran N 30 W 7th dist. of
a Ho. 8 " " " S 25 E 13 " "

This mile level, Beech, Poplar, Openwood, 2nd rate

West On Rand^m. between Sec. 18 & 19

40.00 Set temp. of, Sec. post.

79.00 Intersected W. boundary 70th S. of post
Sand timber &c. same as on the last mile

337

S. N. R. 12 E. 2nd Mer. Indiana

ch. 1/2 m.

East Corrected between Sec. 18 & 19

39.50 a. Sugar 10 in. diam. Stand for q^r. Sec. Corner.

79.00 to Sec. Corner.

East On Rand^m, between Sec. 20 & 29

40.00 Set temp^y. q^r. Sec. post

70.00 a Small watercourse 8 ch^s, wide Course S. W.

80.00 Intersected the N & S. line 12 ch^s. N. of the Post

This mile level, timber, Beech, W. Oak, interspersed with large Poplar &c. 3rd rate

West Corrected between Sec. 20 & 29

10.00 a watercourse 8 ch^s, wide Course S. W.

40.00 Set q^r. Sec. post at average dist. from which
at Beech 18 in. diam. bear S 5 W 25 ch^s. dist. of
a W. Oak 60 " " " N 20 E 27 " "

80.00 to Sec. Corner.

North Between Sec. 33 & 34

40.00 Set q^r. Sec. post, from which

a Cogwood 4 in. diam. bear N 9 E 15 ch^s. dist. of

a Do. 3 " " " S 32 E 15 " "

75.00 a water Course 5 ch^s, wide Course S. E.

80.00 Set post Cor. to Sec. 27, 28, 33 & 34, from which

80.00 a Beech 4 in. diam. bear S 76 W 17 ch^s. dist. of

a Do. 14 " " " S 58 E 17 " "

Land timber &c. same as on the last mile

West On Rand^m, between Sec. 28 & 33,

40.00 Set temp^y. q^r. Sec. post

80.00 Intersected the N & S. line 17 ch^s. N. of Corner

This mile broken timber Oak, Beech, Sugar, 3rd rate

East Corrected between Sec. 28 & 33

40.00 Set q^r. Sec. post at average dist. from which

a Gum 18 in. diam. bear S 30 W 13 ch^s. dist. of

S 5 N. R 12 E. 2nd Mer. Indianach^d lks.

a Logwood 4 in. diam. beam N 75 W 23 lks. dist
80.00 to Sec. Corner

North Between Sec^s. 27 & 28

42.50 Set g. Sec. post at average dist from which
a W. Oak 24 in. diam. beam S 46 E 19 lks. dist. of
a Beech 10 " " " S 65 W 37 " "

85.00 Set post, Cor. to Sec^s. 21, 22, 27 & 28, from which
a Beech 12 in. diam. beam S 40 E 8 lks. dist. of
a Gum 10 " " " N 47 W 25 " "
This mile level Beech, Sugar fe. 3^d rate

North Between Sec^s. 34 & 35

25.00 a watercourse 10 lks. wide Course N. E.

40.00 Set g. Sec. post, from which
a Sugar 16 in. diam. beam N 60 W 11 lks. dist. of
a Beech 10 " " " S 47 E 22 " "

45.00 a watercourse 5 lks. wide Course S 70 E.

70.00 a do. 8 " " " S. E.

80.00 Set post Cor. to Sec^s. 26, 27, 34 & 35

(The Bearing trees Omitted)

This mile broken, timber Oak, Hickory & Logw.^d 3^d rate

West Out Rand^m. between Sec^s. 27 & 34

6.50 a watercourse 10 lks. wide Course S. E.

40.00 Set temp^y g. Sec. post

75.00 Intersected the N & S. line 30 lks. N. of post

This mile some broken, timber Beech, Oak, Sugar 3^d rate

East Corrected between Sec^s. 27 & 34

37.50 Set g. Sec. post at average dist. from which
a Beech 6 in. diam. beam N 25 E 13 lks. dist. of
a Hickory 18 " " " N 70 W 17 " "

69.00 a watercourse 10 lks. wide runs S. E.

75.00 to Sec. Corner

T5N R12E 2nd Mer. Indianach² lks.East Between Sec^s. 26 & 35

37.50 a watercourse 8 lks. wide Course S. E.

40.00 a Blk. Oak 18 in. diam. stands for q^r. Sec. Corner

50.00 a watercourse 15 lks. wide run S.

70.00 ~~Intersected~~ No boundary to be found, a Hickory 10 in. diam. stands marked for the cornerThis mile broken, timber Oak, Hickory &c. 3rd RateNorth Between Sec^s. 26 & 2742.50 Set q^r. Sec. post at average dist. from which
an Elm 3 in. diam. bears West 3 lks. dist. &
a Dogwood 3 " " " S 40 E 12 " "

56.00 a watercourse 8 lks. wide run E.

65.00 a Do. 8 " " " E.

70.00 a Do. 8 " " " E

85.00 Set post Cor. to Sec^s. 22, 23, 26 & 27, from which
a B. Oak 20 in. diam. bears S 30 E 11 lks. dist.

No other near

This mile, Broken land, Hickory, Dogwood &c. 3rd RateEast Between Sec^s. 23 & 26

1.00 Crossed a watercourse 10 lks. wide Course S.

40.00 Set q^r. Sec. post, from which
a Sugar 3 in. diam. bears S 20 W 18 lks. dist. &
a Hickory 8 " " " N 15 E 14 " "73.00 to the Indian boundary line, set post, from which
a W. Oak 60 in. diam. bears S 10 W 28 lks. dist. &
a Dogwood 6 " " " N 10 W 8 " "This mile level, timber Beech, Oak, Sugar &c. 3rd RateNorth Between Sec^s. 22 & 23

25.00 a watercourse 10 lks. wide run S 20 E.

40.00 Set q^r. Sec. post, from which
a Beech 3 in. diam. bears S 46 E 16 lks. dist. &
a Do. 5 " " " N 22 W 16 " "80.00 Set post Cor. to Sec^s. 14, 15, 22 & 23, from which

S 5 N 12 E. 2^d. Mer. Indiana

ch. lks.

a Maple 12 in. diam. beam S 73 E 6 lks. dist. of
 a do 10 " " " N 37 W 23 "
 This mile some broken, timber Beech, Oak, Hick, &c.
 Soil 3^d. rate.

East Between Sec. 14 & 23

30.00 a watercourse 8 lks. wide running S.

40.00 Set of. Sec. post, from which

a Hickory 3 in. diam. beam S 40 E 13 lks. dist. of
 a do. 3 " " " N 40 E 18 " "

80.00 Set post Cor. to Sec. 13, 14, 23 & 24, from which
 a Hickory 8 in. diam. beam S 80 E 4 lks. dist. of

a do. 4 " " " N 60 W 5 " "

This mile level, timber Beech, Oak, Hickory, Maple
 &c. Much brush 3^d. rate

South Between Sec. 23 & 24

38.00 to the old Indian boundary line, set post, from which

a B. Oak 28 in. diam. beam N 22 W 22 lks. dist. of

a Beech 10 " " " S 20 E 26 " "

This distance Beech &c. Much brush 3^d. rate

East Between Sec. 13 & 24

6.42 to the Indian boundary line, set post, from which

a Poplar 18 in. diam. beam N 35 E 34 lks. dist. of

a W. Oak 60 " " " South 18 " "

This distance, Oak, Beech, Sugar &c. 2^d. rate

North Between Sec. 13 & 14

33.00 a Watercourse 10 lks. wide Course S. E.

40.00 Set of. Sec. post, from which

a W. Oak 18 in. diam. beam S 70 W 18 lks. dist. of

a B. Oak 18 " " " S 30 E 13 " "

75.00 a watercourse 10 lks. wide running S. E.

80.00 Set post Cor. to Sec. 11, 12, 13 & 14, from which

a W. Oak 40 in. diam. beam N 85 W 18 lks. dist. of

T5 N - R12 E. 2nd Mer. Indiana

341

ch. 1/2 hr.

at Beech 1 1/2 in. diam. - bear N 35 E 18 hrs. dist.
This mile level timber Beech, Poplar, Oak,
and Sugar, Dogwood &c. 2nd rate

East Between Sec. 12 & 13

19.00 to Indian boundary & set post, from which
a Beech 1 1/2 in. diam. - bear N 88 E 12 hrs. dist. of
a 16 " " " N 10 E - " "
Beech Oak &c 2nd rate

West On Rand. between Sec. 22 & 27

12.00 a watercourse 8 hrs. wide runs S. E.
40.00 Set temp. of. Sec. post
75.00 Intersected the N & S. line 30 hrs. S. of post
This mile level Beech, large Poplar, Sugar,
Open woods 2nd rate land

West On Rand. between Sec. 21 & 28

5.00 a watercourse 6 hrs. wide runs S. W.
20.00 a do. 8 " " " S.
40.00 Set temp. of. Sec. post
67.00 a watercourse 12 hrs. wide Course S.
80.00 Intersected the N & S. line at the post
This mile broken, timber Beech &c. 3rd rate

East Corrected between Sec. 21 & 28

23.50 a watercourse 1 1/2 hrs. wide runs S.
40.00 Set of. Sec. post at average dist. from which
a Beech 10 in. diam. - bear N 40 E - 1/2 hr. dist. of
a do. 14 " " " N 40 E 16 " "
60.00 a watercourse 8 hrs. wide runs S.
75.00 a do 6 " " " S. W.
80.00 to Sec. Corner

East Corrected between Sec. 22 & 27

37.50 Set of. Sec. post at average dist. from which

T5 N R12 E. 2nd Mer. Indiana

ch. lky.

a Beech 12 in. diam. beam South 12 lky. dist. of
 a Maple 10 " " " N30 E 13 " "
 63.00 a watercourse 8 lky. wide Cr. S. E.
 75.00 to Sec. Corner.

North Between Sec. 21 & 22

1.00 a watercourse 6 lky. wide runs S. W.
 40.00 Set of Sec. post, from which
 a Maple 12 in. diam. beam N60 E 19 lky. dist. of
 a Beech 12 " " " S60 W 17 " "
 80.00 Set post Cor. to Sec. 15, 16, 21 & 22, from which
 a Sugar 10 in. diam. beam East 10 lky. dist. of
 a Beech 8 " " " North 19 " "
 This (mile level) timber Beech, Ash, Sugar, 2nd rate

North Between Sec. 20 & 21

30.00 a watercourse 10 lky. wide Cr. S. W.
 40.00 Set of Sec. post, from which
 a Sugar 10 in. diam. beam S47 W 25 lky. dist. of
 a Beech 14 " " " N25 E 14 " "
 80.00 Set post Cor. to Sec. 16, 17, 20 & 21, from which
 a Beech 12 in. diam. beam S74 E 53 lky. dist. of
 a Ho. 3 " " " N3 E 20 " "
 This (mile level) timber Beech, Poplar, Sugar &c.
 Soil 2nd rate

West Ont. Cand. between Sec. 17 & 20

40.00 Set temp. of Sec. post
 79.80 Intersected the N & S line 40 lky. S. of post
 This (mile level) heavily timbered Beech, Poplar,
 Sugar, Spice running 2nd rate

North Between Sec. 17 & 18

40.00 Set of Sec. post, from which
 a Sugar 10 in. diam. beam S22 W 5 lky. dist. of
 a Hickory 22 " " " N10 E 7 " "

S. N. R 12 E. 2^d. Mer. Indiana

343

ch. 1/2 hr.

50.00 a watercourse 10 hrs. wide run S. W.

55.00 a No. 8 " " " S. W.

80.00 Set post cor. to Sec. 7, 8, 17 & 18, from which
a Beech 18 in. diam. - bear East 11 hrs. dist. of
a Sugar 10 " " " S 14 W 17 " "
This mile broken, timber Beech, Sugar &c.
Open woods 3^d. rate

West Out Rand^m. between Sec. 7 & 18

40.00 Set temp. q. Sec. post

50.00 a large watercourse 15 hrs. wide E. S. N. W.

79.00 Intersected the N & S. line 50 hrs. S. of the post
This mile broken, timber Beech, Oak, Sugar
& Ash, Soil 3^d. rate

East Corrected between Sec. 7 & 18

28.00 a watercourse 15 hrs. wide run N. W.

39.50 a No. Oak 18 in. diam. - stand for q. Sec. Cor.
at the average dist. on true line

79.00 to Sec. Corner.

East Corrected between Sec. 17 & 20

39.90 Set q. Sec. post at average dist. from which
a Sugar 10 in. diam. - bear N 27 W 22 hrs. dist. of
a No. 12 " " " S 45 W 9 " "

79.80 to Sec. Corner.

East Out Rand^m. between Sec. 16 & 21

25.00 a watercourse 8 hrs. wide run N.

40.00 Set temp. q. Sec. post

79.50 Intersected the N & S. line at the post

This mile well situated for a farm, timber Oak,
Beech, Sugar, land 3^d. rate

West Corrected between Sec. 16 & 21

40.00 Set q. Sec. post at average dist. from which
(39.75)

S5 N. R12 E. 2nd Mer. Indiana

Ch. 1/2 hr.

an Oak 18 in. diam. - bearing N 75 W 9 lks. dist. of
 a Sugar 6 " " " S 45 W 20 " "
 55.00 a watercourse 8 lks. wide Course N
 79.50 to Sec. Corner.

North (Between Sec. 16 & 17)

40.00 Set of Sec. post, from which
 a Hickory 16 in. diam. - bearing North 7 lks. dist. of
 a Sugar 8 " " " S 44 W 21 " "
 47.50 a watercourse 6 lks. wide Course N.W.
 80.00 Set post Cor. to Sec. 8, 9, 10 & 17 from which
 a Beech 14 in. diam. bearing S 40 W 18 lks. dist. of
 a Do. 6 " " " S 70 E 26 " "
 This mile level, timber Beech, Poplar, Hickory &c.
 Land 3rd rate

West On Rand^m between Sec. 8 & 17

40.00 Set temp. of Sec. post.
 42.00 a watercourse 1 1/2 lks. wide runs N.
 80.00 Intersected the N & S line 60 lks. S. of post
 Land timber &c. same as on the last mile

East Corrected between Sec. 8 & 17

38.00 a watercourse 1 1/2 lks. wide runs S.
 40.00 Set of Sec. post, from which
 a " 8 in. diam. - bearing N 35 E 12 lks. dist. of
 an Elm 3 " " " South 5 " "
 80.00 to Sec. Corner

East On Rand^m between Sec. 15 & 22

37.00 a watercourse 6 lks. wide Cr. S. E.
 40.00 Set temp. of Sec. post
 75.60 Intersected the N & S line 91 lks. N. of the post
 This mile level, timber Beech, Sugar & Oak
 and Maple, Land 3rd rate

S 5 N R 12 E, 2nd Mer. Indiana

345

ch. lky
West

Corrected between Sec. 9, 15 of 22

37.80 Set of Sec. post at average dist. from which
a W. Oak 24 in. diam. - bear N 10 E 13 lks. dist. of
a Beech 10 " " " N 70 E 11 " "

75.00 to Sec. Corner.

North Between Sec. 9, 15 of 16

40.00 Set of Sec. post, from which
a Poplar 60 in. diam. - bear East 3 lks. dist. of
a Sugar 16 " " " S 55 W 29 " "

80.00 Set post Cor. to Sec. 9, 10, 15 of 16, from which
a W. Oak 48 in. diam. - bear N 55 W 7 lks. dist. of
a Llo. 48 " " " S 50 E 46 " "

This mile level, timber Sugar, Poplar Beech &c.
Soil 2nd rate.

North Between Sec. 9, 14 of 15

40.00 Set of Sec. post, from which
a Beech 12 in. diam. - bear S 45 W 19 lks. dist. of
a Llo. 5 " " " N 45 E 13 " "

52.00 a watercourse 6 lks. wide Course S. E.

80.00 Set post Cor. to Sec. 10, 11, 14 of 15, from which
a Beech 18 in. diam. - bear S 40 W 17 lks. dist. of
a Llo. 4 " " " N 10 W 40 " "

This post stands on the bank of a watercourse 10
lks. wide Course S. E.

This mile level, timber Beech, Poplar Sugar &c.
Land 2nd rate

East On Rand^m. between Sec. 11 of 14

40.00 Set temporary of Sec. post

75.00 a watercourse 6 lks. wide runs S. E.

80.44 Intersected the St of S. line 38 lks. N. of post
Land, timber &c. same as on the last mile

West Corrected between Sec. 11 of 14

S. N. R. 12 E. 2^d? Mer. Indiana

Ch. lly.

5.00 a Watercourse 6 lly. wide runs S. E.

40.22 Set of Sec. post, from which
a Poplar 24 in. diam. - beam South 36 lly. dist. of
a Do. 36 " " " N 5 E 28 " "

80.44 to Sec. Corner

East On Rand^m between Sec. 9 & 16.

40.00 Set temp. of Sec. post

80.50 Intersected the N & S line & fell 22 lly. S. of post
This mile level, timber Beech, Poplar, Oak, Sugar
&c. Land 2^d rate.East On Rand^m between Sec. ~~9~~ 10 & 15

40.00 Set temp. of Sec. post

55.00 a watercourse 8 lly. wide runs N 30 E

75.40 Intersected the N & S. line at the post
Land timber &c. same as on the last mile

North Between Sec. 10 & 11

40.00 Set of Sec. post, from which

a Poplar 24 in. diam. - beam S 70 W 15 lly. dist. of

a Maple 12 " " " N 65 E 27 " "

68.00 a watercourse 8 lly. wide descends N W.

80.00 Set post Cor. to Sec. 2, 3, 10 & 11, from which

a Beech 18 in. diam. - beam N 14 E 20 lly. dist. of

This mile some broken, timber Beech, Sugar
Oak, Poplar &c. 2^d rate

North Between Sec. 11 & 12

40.00 Set of Sec. post, from which

a W. Oak 18 in. diam. - beam S 80 E 29 lly. dist. of

a Maple 10 " " " N 55 W 23 " "

80.00 Set post Cor. to Sec. 1, 2, 11 & 12, from which

a Maple 8 in. diam. - beam N 45 E 15 lly. dist. of

a W. Oak 60 " " " N 75 W 33 " "

Low & wet, timber Oak, Beech, Maple & Elm 3^d rate

S 5 N R 12 E. 2^d. Mer. IndianaCh. 1st 1/4.

East Return Sec. 1 of 12

31.25 to the Indian Boundary line & set post from which
 a Beech 18 in. diam. - bear N 23 E 26 lks. dist. &
 a Maple 3 " " " S 73 W 19 " "
 Low wet land Soil Cold 3^d rate, Beech, Oak, Maple

North Between Sec. 1 of 2

40.00 Set q. Sec. post, from which
 a B. Oak 24 in. diam. - bear S 55 W 24 lks. dist. &
 a W. Oak 12 " " " S 30 E 24 " "
 79.00 Intersected the N. boundary 600 lks W. of post
 a Hickory 8 in. diam. Stand for Cor. to Sec.
 1 of 2 on N. boundary - (description omitted)

West On Rand^m. between Sec. 2 of 11

40.00 Set temp. q. Sec. post
 79.60 Intersected N. boundary 30 lks. N. of post
 This mile level land 3^d rate, timber, Beech, Oak, Hick

East Connected between Sec. 2 of 11

39.80 Set q. Sec. post at average dist. from which
 a Poplar 24 in. diam. - bear S 60 W 18 lks. dist. &
 a Lym 12 " " " N 88 E 20 " "
 79.60 to Sec. Corner

North Between Sec. 2 of 3

22.00 a watercourse 12 lks wide runs N.E.
 40.00 Set q. Sec. post from which
 a Dogwood 3 in. diam. - bear N 25 E 8 lks. dist. &
 a Co. 4 " " " S 75 W 23 " "
 64.00 a large watercourse 20 lks wide Course E.
 77.65 Intersected the N. boundary 8.26 lks W. of post
 Set post Cor. to Sec. 2 of 3, from which
 a Sugar 4 in. diam. Stand for the Corner
 This mile broken 3^d rate land, timber Oak, Beech
 Lym &c.

T5 N R12 E. 2nd. Mer. Indianach. 2nd lky.

West Corrected between Sec. 10 & 15

37.70 Set gr. sec. post at average dist. from which
 a Beech 16 in. diam. - 1/2 way West 13 lky. dist. of
 a W. Oak 28 " " " South 19 " "

55.00 a watercourse 8 lky. wide runs N80E.

75.40 to Sec. Corner.

North Between Sec. 9 & 10

40.00 Set gr. sec. post, from which
 a B. Oak 30 in. diam. - 1/2 way N65E 16 lky. dist. of
 a Beech 10 " " " N65W 10 " "

50.00 a watercourse 8 lky. wide Course E.

80.00 Set post Cor. to Sec. 3, 4, 9 & 10, from which
 a Hickory 16 in. diam. - 1/2 way S23E 26 lky. dist. of
 a Poplar 16 " " " N62W 29 " "
 This mile land level 2nd rate, timber Beech, Oak,
 Poplar &c.

East On Land 9^m. between Sec. 3 & 10

20.00 a watercourse 6 lky. wide runs S.E.

40.00 Set stump of gr. sec. post

58.00 a watercourse 8 lky. wide Course N.E.

70.00 a do. 8 " " " N.E.

75.40 Intersected the N of S line 17 lky. S. of post
 This mile broken land 3rd rate, timber Oak, Beech & Dogwood.

West Corrected between Sec. 3 & 10

5.00 a watercourse 8 lky. wide runs N.E.

18.00 a do. 8 " " " N.E.

37.70 Set gr. sec. post at average dist. from which
 a Maple 10 in. diam. - 1/2 way N10E 23 lky. dist. of
 a W. Oak 60 " " " N43E 4 " "

55.00 a watercourse 6 lky. wide runs S.E.

75.40 to Sec. Corner.

North Between Sec. 3 & 4, T5 N, R12 E.

T5 N R12 E. 2nd Mer. Indiana

349

ch. l. l. m.

30.00 a watercourse 6 l. m. wide N10 E.

40.00 Set of sec. post, from which
a Gum 14 in. diam. bear N3W24 l. m. dist. of
a Dogwood 4 " " " S50 E 8 " "

69.00 a watercourse 6 l. m. wide run N. E.

75.36 Intersected a N. boundary 3.18 l. m. west of post
Set post Cor. to Sec. 3 of 4, from which
a W. Oak 40 in. diam. bear N72 E 36 l. m. dist. of
a Beech 10 " " " S50 W13 " "
This mile broken 2nd rate land, timber Beech, Oak,
Sugar, Hickory &c.

West Connected between Sec. 9 & 16

40.25 Set of sec. post at average dist. from which
a W. Ash 3 in. diam. bear S30 E 6 l. m. dist. of
a Sugar 16 " " " North 19 " "

80.50 to Sec. corner

North Between Sec. 8 & 9

23.00 a watercourse 9 l. m. wide C. S. W.

28.00 a do. 8 " " " C. S. W.

40.00 a Hickory 4 in. diameter stand for of sec. corner

80.00 Set post cor. to Sec. 4, 5, 8 & 9, from which
a Beech 10 in. diam. bear S3 E 25 l. m. dist. of
a Do. 3 " " " N30 W13 " "

This mile broken land 3rd rate, timber Beech,
Poplar, Ash, Sugar &c.

East On Rand. m. between Sec. 4 & 9

7.50 a watercourse 6 l. m. wide course N. W.

40.00 Set of sec. post

79.50 Intersected the N & S. line at the post

This mile level 2nd rate land, timber Beech, Poplar
Sugar &c.

West Connected between Sec. 4 & 9

S 5 N R 12 E. 2nd. Mer. Indiana
ch. l. 7.

- 39.75 Set q. sec. post at average dist. from which
a Poplar 24 in. diam. - beam N 30 W 10 lks. dist. of
a Gum 10 " " " S 5 W 18 " "
72.00 a water course 6 lks. wide run N. W.
79.50 to Sec. corner.

North Between Sec. 7 & 8

- 40.00 Set q. sec. post, from which
a Beech 28 in. diam. - beam S 30 W 23 lks. dist. of
a do. 8 " " " N 12 E 12 " "
80.00 Set post Cor. to Sec. 5, 6, 7 & 8, from which
a Beech 18 in. diam. - beam N 70 W 7 lks. dist. of
a do. 12 " " " N 75 E 52 " "
This mile level 3rd rate land, timber Beech,
Poplar &c.

East On Rand. between Sec. 5 & 8

- 40.00 Set temporary q. post
79.00 Intersected the N & S line 31 lks. S. of post
This mile Broken 3rd rate land, timber Beech
Oak, Sugar Poplar &c.

West Corrected between Sec. 5 & 8

- 39.50 Set q. sec. post at average dist. from which
an Elm 3 in. diam. - beam S 60 W 6 lks. dist. of
a Gum 6 " " " N 70 E 9 " "
79.00 to Sec. Corner

North Between Sec. 4 & 5

- 6.00 a water course 6 lks. wide comes N.
40.00 Set q. sec. post, from which
a Hickory 16 in. diam. - beam S 40 E 5 lks. dist
a Beech 15 " " " S 50 W 25 " "
76.50 Intersected N. boundary - lks. - of post
Set post Cor. to Sec. 4 & 5, from which
a W. Oak 28 in. diam. - beam N 60 W 16 lks. dist.

S. N. R. 12 E. 2nd Mer. Indiana

351

ch 2th

a Beech 16 in. diam; bear S 30 E 7th dist
This mile down broken 2nd rate, timber Beech
Oak, Sugar, Poplar & Elm

West On Run 3rd, between Sec. 6 & 7

40.00 Set temp. q^r, Sec. post

50.00 a Creek 60th, wide Course S.

70.00 a watercourse 60th, wide run S. E.

79.38 Intersected N. boundary 60th, N. of post
This mile broken 3rd rate land, timber Beech, Oak
Ash, Sugar &c.

East Connected between Sec. 6 & 7

10.00 a watercourse 60th, wide Course S.

30.00 a Creek 60th, wide run S.

39.69 Set q^r, Sec. post at average dist. from which
a Sugar 3 in. diam; bear N 8 E 3th dist. of
a Hickory 16 " " " S 45 E 14 " "

79.38 to Sec. Corner.

North Between Sec. 5 & 6

31.00 a watercourse 10th, wide Course N.

40.00 Set q^r, Sec. post, from which
a Walnut 18 in. diam; bear N 81 E 26th dist. of
a Beech 18 " " " S 62 W 28 " "

78.00 Intersected the N. boundary at the post
This mile hilly 3rd rate land, timber Beech, Oak
Poplar, Sugar &c.

Stephen Sudlow, M. S.

I Certify that foregoing transcript of field notes of Town-
ship N. 5 North, Range N. 12 East 2nd Principal Meridian
Indiana has been compared with the original notes in this
Office and found to be correct.

Surveyor Genl's Office, Cincinnati, Oct. 12th 1844 William Johnston
Sur. Genl.